

2018 NV2500 HD SV V6 High Roof Cargo Van Starting at \$32,990





2018 Ford Transit-250 Base w/Sliding Pass-Side Cargo Door MSRP \$37,650

2018 Mercedes-Benz Sprinter 2500 High Roof V6 MSRP \$43,290



2018 RAM ProMaster 2500 High Roof MSRP \$35,095

😔 Nissan Advantage

OVERVIEW

| Pricing | | | | | |
|---|--------------|--|-------------------------------|---|---------------------------|
| Starting at* | O | \$32,990 | \$37,650 | \$43,290 | \$35,095 |
| Destination Charge | Θ | \$1,295 | \$1,395 | \$995 | \$1,645 |
| Fuel Economy | | | | | |
| Recommended fuel | | Regular unleaded | Regular unleaded | Diesel | Regular unleaded |
| Exterior | | | | | |
| Body material | | Fully galvanized steel | Fully galvanized steel | Fully galvanized steel | Fully galvanized steel |
| Grille | | Black | Black | Black | Grey |
| Door count | | 3 | 3 | 3 | 3 |
| Rear cargo door | | Split Swing Out 243 degrees | Split swing-out | Split swing-out | Split swing-out |
| Driver mirror | Θ | Power remote | Power remote | Manual | Manual |
| Passenger mirror | Θ | Power remote | Power remote | Manual | Manual |
| Antenna | 0 | Fixed | Fixed | Integrated roof | Integrated roof |
| Front bumper | | Black | Black | Argent | Grey |
| Rear bumper | | Black | Black | Argent | Grey |
| Rear bumper step | Θ | Standard | Solution Not Available | Optional | Standard |
| Headlight beam | | Halogen | Halogen | Halogen | Halogen |
| Daytime running lights | Θ | Standard | Solution Not Available | Standard | Optional |
| Driver side turn signal indicator in mirror | | Not Available | Not Available | Not Available | Standard |
| Passenger side turn signal indicator in mirror | | Not Available | Not Available | Not Available | Standard |
| Cab clearance lights | | Not Available | Not Available | Not Available | Standard |
| LED brakelights | | Not Available | Solution Not Available | Standard | Solution Not Available |
| Interior | | | | | |
| Air conditioning | | Manual | Manual | Manual | Manual |
| Air filter External digital memory control | Ð | Not AvailableStandard | ⊗ Not Available ◯ Optional | StandardStandard | Not Available Uconnect |
| Door locks | | Power with 2 stage unlock | Power with 2 stage unlock | Power with 2 stage unlock | Power with 2 stage unlock |
| Remote keyless entry | | Keyfob (all doors) | Keyfob (all doors) | Keyfob (all doors) | Keyfob (all doors) |
| Front windows | | Power | Power | Power | Power |
| Window control - express down | | Driver | Driver | Driver and passenger | Driver and passenger |
| AC power outlet | Θ | 2 | Optional | Solution Not Available | Solution Not Available |
| Trunk/hatch/door/tailgate FOB controls | | Not Available | Not Available | Standard | Standard |
| Cargo tie downs | | Standard | Standard | Standard | Standard |
| Cruise control | Θ | With steering wheel controls | Optional | © Optional | © Optional |
| Front beverage holders | | Standard | Standard | Standard | Standard |
| 12V DC power outlet | Θ | 2 | 3 | 2 | 1 |
| Driver door bin | | Standard | Standard | Standard | Standard |
| Passenger door bin | ~ | Standard | Standard | Standard | Standard |
| Overhead console storage | Θ | Standard | Standard | Standard | Not Available |
| Floor console | Θ | Partial | Partial | Solution Not Available | Not Available |
| Glove box | | Standard | Locking | Locking | Standard |
| Tilting steering wheel | Θ | Manual | Manual | Manual | Not Available |
| Telescoping steering wheel | | Not Available | Manual | Manual | Manual |
| Seating capacity | | 2 | 2 | 2 | 2 |
| | | 4 | 4 | 4 | 4 |
| Driver seat - way direction | | | - | | |
| Driver seat - way direction control Driver seat - recline | | Manual | Manual | Manual | Manual |

Interior

| Front passenger seat - way direction control | |
|---|----------------------------------|
| Front passenger seat - recline | |
| Front passenger seat - fore/aft | |
| Front passenger seat - fold down | Θ |
| Front armrests | Θ |
| Front head restraints | Θ |
| Seat material | Θ |
| Headliner | |
| Radio | Θ |
| CD | Θ |
| Auxiliary audio input | |
| CD-MP3 decoder | Θ |
| External digital memory control | Θ |
| Steering wheel audio controls | Θ |
| Radio data system | Θ |
| Voice activated audio control | |
| Speakers | |
| Speaker type Speed sensitive volume | \bigcirc |
| 1st row LCD monitor | 0 |
| Wireless phone connectivity | |
| Dome light | 0 |
| Illuminated entry | |
| Front reading lights | Θ |
| Windshield wipers | Θ |
| Window tint | |
| Instrumentation display | |
| Oil pressure gauge Tachometer | |
| Engine temperature gauge | |
| Voltmeter | |
| Low fuel warning | |
| Low tire pressure warning | Θ |
| Maintenance reminder Driver information center | |
| Exterior temperature | 6 |
| Clock | 0 |
| Trip computer | () () () |
| Parking sensors | $\overline{\bigcirc}$ |
| Parking sensors | $\overline{\bigcirc}$ |
| Convex spotter mirror - driver | |
| side | |
| Convex spotter mirror - passenger side | |
| Mechanical | |
| moonanioai | |

| 4 |
|-----------------------------------|
| Manual |
| Manual |
| Standard |
| Contor |
| Center Adjustable |
| - |
| Seat with wear patch |
| Cloth AM/FM/SiriusXM Satellite |
| Single |
| - |
| Standard Standard |
| Standard |
| Standard |
| Standard |
| Not Available |
| 4 |
| Standard |
| Standard |
| 1 Bluetooth |
| Fade |
| Standard |
| Standard |
| Variable intermittent |
| Light |
| Analog |
| Standard |
| Tire specific |
| Standard |
| Standard |
| Standard |
| In-radio display |
| Standard |
| Rear |
| Rear |
| Standard |
| Standard |
| Standard |

| 4 |
|------------------------|
| Monuel |
| Manual Manual |
| Solution Not Available |
| |
| Driver |
| Adjustable |
| Vinyl |
| Cloth |
| AM/FM stereo |
| Optional |
| Standard |
| Optional |
| Optional |
| Not Available |
| Not Available |
| Not Available |
| 4 |
| Standard |
| Not Available |
| 1 |
| O Optional |
| Fade |
| Standard Standard |
| Variable intermittent |
| Light |
| Analog |
| Not Available |
| Standard |
| Standard |
| Not Available |
| Standard |
| Standard |
| Standard |
| Optional |
| Not Available |
| In-radio display |
| Optional |
| Optional |
| Optional |
| Standard |
| Standard |

Manual Manual Not Available Driver and passenger Adjustable Cloth Cloth AM/FM stereo Not Available Standard Not Available Standard Not Available Not Available Not Available 5 Standard Not Available 1 Bluetooth Fade Standard Not Available Fixed interval Light Analog Not Available Standard Not Available Not Available Standard Standard Standard Not Available Standard In-dash Not Available Optional Optional Standard Standard

4

Manual Manual Solution Not Available Solution Not Available Fixed Cloth Cloth AM/FM/Satellite-prep Not Available Standard Not Available Uconnect Standard Not Available Standard 4 Standard Standard 1 Bluetooth Fade Standard Standard Variable intermittent Light Analog Not Available Standard Standard Not Available Standard Tire specific Standard Standard Standard In-radio display Standard Optional Optional Standard Standard

4

| Horsepower (hp) |
|----------------------------|
| Torque (lbft.) |
| Front suspension |
| Rear suspension |
| Steering activation |
| Steering type |
| Speed sensitive steering |
| Brakes |
| Front brake diameter (in.) |
| Rear brake diameter (in.) |
| Tires |
| Wheel appearance |
| Wheel material |
| Wheel diameter |
| Wheel width (front) |
| Wheel width (rear) |
| Engine liters (L) |
| Cylinder configuration |
| Valvetrain |
| Compressor |

| Θ | 261 @ 5,600RPM |
|----------|------------------------|
| Θ | 281 @ 4,000RPM |
| | Double wishbone |
| | Leaf |
| | Hydraulic power-assist |
| | Re-circulating ball |
| Θ | Standard |
| | 4-wheel disc |
| Θ | 14 |
| Θ | 14 |
| | LT245/70SR17E BSW AS |
| | Silver |
| | Styled steel |
| Θ | 17" |
| | 7.5" |
| | 7.5" |
| Θ | 4 |
| <u> </u> | V-6 |
| | DOHC |
| | Solution Not Available |
| | |

| 275 @ 6,000RPM |
|------------------------|
| 260 @ 4,000RPM |
| Strut |
| Leaf |
| Hydraulic power-assist |
| Rack-pinion |
| Not Available |
| 4-wheel disc |
| 12 |
| 12 |
| LT235/65SR16C BSW AS |
| Silver |
| Steel |
| 16" |
| 7" |
| 7" |
| 3.7 |
| V-6 |
| DOHC |
| Not Available |

| 188 @ 3,800RPM |
|------------------------|
| 325 @ 1,400RPM |
| Strut |
| Leaf |
| Hydraulic power-assist |
| Rack-pinion |
| Not Available |
| 4-wheel disc |
| Not Available |
| Solution Not Available |
| LT245/75QR16E BSW AS |
| Silver |
| Steel |
| 16" |
| 6.5" |
| 6.5" |
| 3 |
| V-6 |
| DOHC |
| Intercooled turbo |

| Mechanical | | | | | |
|--------------------------------|------------|-------------------|--------------------------------------|------------------------------|----------------------------------|
| Recommended fuel | | Regular unleaded | Regular unleaded | Diesel | Regular unleaded |
| Drive type | | Rear-wheel | Rear-wheel | Rear-wheel | Front-wheel |
| Transmission | | 5-speed automatic | 6-speed automatic | 5-speed automatic | 6-speed automatic |
| Sequential shift control | | Not Available | SelectShift | With steering wheel controls | Standard |
| Safety | | | | | |
| Passenger front-impact airbag | | Standard | Cancellable | Standard | Standard |
| Driver side-impact airbag | | Seat mounted | Seat mounted | Seat mounted | Seat mounted |
| Passenger side-impact airbag | | Seat mounted | Seat mounted | Seat mounted | Seat mounted |
| Curtain airbag | | Curtain 1st row | Safety Canopy System | Curtain 1st row | Curtain 1st row |
| Occupant Classification System | | Not Available | Standard | Solution Not Available | 🕸 Not Available |
| Side impact beams | | Standard | Standard | Standard | Standard |
| Height adjustable seatbelts | | Front | Front | Front | Front |
| Seatbelt pre-tensioners | | Front | Front | Front | Front |
| ABS | | 4-wheel | 4-wheel | 4-wheel | 4-wheel |
| Brake assist | | Standard | Standard | Standard | Standard |
| Traction Control System | | ABS and driveline | ABS and driveline | ABS and driveline | ABS and driveline |
| Vehicle Dynamic Control | - | Stability control | AdvanceTrac w/Roll Stability Control | Crosswind Assist | Stability control with anti-roll |
| Panic alarm | Θ | Standard | Standard | Not Available | S Not Available |
| Vehicle Immobilizer System | | Not Available | Solution Not Available | Standard | Standard |
| Dimensions | | | | | |
| Engine liters (L) | Θ | 4 | 3.7 | 3 | 3.6 |
| Cylinder configuration | | V-6 | V-6 | V-6 | V-6 |
| Horsepower (hp) | Θ | 261 @ 5,600RPM | 275 @ 6,000RPM | 188 @ 3,800RPM | 280 @ 6,400RPM |
| Torque (lbft.) | Θ | 281 @ 4,000RPM | 260 @ 4,000RPM | 325 @ 1,400RPM | 260 @ 4,400RPM |
| Fuel tank (gal.) | e | 28 | 25 | 24 | 24 |
| Curb weight (lbs.) | | 6,120 | 5,226 | 5,445 | 4,883 |
| Gross vehicle weight rating | 0 | 9,100 | 9,000 | 8,550 | 8,900 |
| (GVWR) (lbs.) | Θ | 0,100 | 5,000 | 0,000 | 0,000 |
| Gross combined weight rating | Θ | 13,400 | 12,000 | 13,550 | 11,500 |
| (GCWR) (lbs.) | \bigcirc | | | | |
| Exterior length (in.) | Θ | 240.6 | 237.6 | 274.1 | 236.1 |
| Exterior body width (in.) | Θ | 79.9 | 81.3 | 79.7 | 80.7 |
| Exterior body height (in.) | | 105 | 110.1 | 105.8 | 99.4 |
| | Θ | | | | |
| Wheelbase (in.) | 0 | 146.1 68.7 | 147.6 68.2 | 170.3 68 | 159 71.3 |
| Front track (in.) | Θ | | | | |
| Rear track (in.) | Θ | 68.9 | 68.6 | 68.2 | 70.5 |
| Turning radius (ft.) | Θ | 22.6 | 24 | 27.4 | 23.4 |
| Interior cargo volume (cu.ft.) | | 323.1 | 404.3 | 486.5 | 420 |
| Maximum interior cargo volume | Θ | 323.1 | 404.3 | 486.5 | Not Available |
| (cu.ft.) | | | | | |
| Front legroom (in.) | Θ | 42 | 39.7 | Not Available | 38.8 |
| Front headroom (in.) | Θ | 63.6 | 56.6 | Not Available | Not Available |
| Front hiproom (in.) | Θ | 60.6 | 67.5 | Not Available | Not Available |
| Front shoulder room (in.) | ē | 65.7 | 67.9 | S Not Available | 74.8 |
| Warranty | <u> </u> | | | | |
| Basic months | 0 | 60 | 36 | 36 | 36 |
| | 0 | | | | |
| Basic distance (miles) | Θ | 100,000 | 36,000 | 36,000 | 36,000 |
| Powertrain months | Θ | 60 | 60 | 36 | 60 |
| Powertrain distance (miles) | | 100,000 | 60,000 | 36,000 | 60,000 |
| Corrosion perforation months | | 60 | 60 | 60 | 60 |
| Corrosion perforation distance | Θ | unlimited | unlimited | 100,000 | unlimited |
| (miles) | \sim | | | | |
| Roadside assistance months | \bigcirc | 60 | 60 | 36 | 60 |
| Roadside assistance distance | 0 | 60,000 | 60,000 | 36,000 | 60,000 |
| (miles) | <u> </u> | | | | |
| Diesel engine months | | Not Available | S Not Available | 60 | Not Available |
| Diesel engine distance (miles) | | Not Available | 🐼 Not Available | 100,000 | 🖾 Not Available |

Powered by

Chrome Data

*All prices are Manufacturer's Suggested Retail Price (MSRP). MSRP excludes destination and handling charges, tax, title, license and options. Dealer sets actual price.

The information is provided under license from Chrome Data Solutions, LP ("ChromeData"). It is provided for information purposes only for personal use and may not be used for any commercial purpose whatsoever without prior written consent of ChromeData. Although the information is updated regularly, neither ChromeData nor Nissan make any warranty or guarantee of any kind, express implied, regarding the information, including without limitation any warranty regarding its currency, accuracy or completeness or any warranty of merchantability or fitness for particular purpose. All prices, specifications and equipment are subject to change without notice and should not be relied on. Individual Dealers are responsible for setting their own selling prices. Photographs may not reflect all features accurately, including vehicle trim, options and accessories. Pricing is for MSRP of the vehicle only, and does not include additional costs such as tax, title, license, options or accessories shown (if any). Pricing also does not include any fees that may apply for color choice. Vehicle; color choice may require certain options that may not be included in the options listed. Specifications, options and accessories may differ in Alaska, Hawaii, U.S. territories and other countries. Availability and delivery times for particular models or equipment may vary. Please contact your Dealer for complete details.